



FACILEINFISSI



ALLUMINIO
R62TT
Uw: 1,62 W/mqK



ALLUMINIO
R72TT
Uw: 1,32 W/mqK



ALLUMINIO
R85TT
Uw: 1,06 W/mqK



PVC
ALUPAST
Uw: 1,26 W/mqK




PVC
SALAMANDER
Uw: 1,30 W/mqK




PVC
SCHÜCO
Uw: 1,23 W/mqK



LEGNO - ALLUMINIO
DOUBLE WOOD
Uw: 1,31 W/mqK



LEGNO-ALLUMINIO
ALL.CO WOOD TT
Uw: 2,24 W/mqK.



LEGNO - ALLUMINIO
ALL.CO WOOD
Uw: 3,01 W/mqK

SISTEMI OSCURANTI ED OMBREGGIANTI



PERSIANE A LAMELLE
FISSE E MOBILI.



AVVOLGIBILE A STECCHE
ORIENTABILI « ORIENTA »



AVVOLGIBILI IN PVC, ALLUMINIO,
ACCIAIO, CON POSSIBILITA'
DI MOTORIZZAZIONE



TENDE A CADUTA, CON GUIDE,
A BRACCI, CAPPOTTINE,
PENSILINE E PERGOTENDE.

TELAI IN LEGNO LISTELLARE PANNELLO PORTA TUTTOTONDO (SPIGOLI ARROTONDATI)





www.facileinfissi.it



Via Pontina Km 31.200 - 00071 Pomezia (RM)
Tel. +39 06 97882146

commerciale@facileinfissi.it - info@facileinfissi.it - ufficiovendite@facileinfissi.it